AMENDMENTS

Listing of Claims:

The following listing of claims replaces all previous listings or versions thereof:

- 1.-38 (cancelled)
- 39. (currently amended) A method of identifying a modulator of a Fortilin polypeptide comprising:
 - (a) contacting <u>an isolated [[a]]</u> Fortilin polypeptide <u>comprising the with at least 90%</u> of its amino <u>acid acids sequence of SEQ ID NO:2 identical</u> with a candidate substance; and
 - (b) assaying whether the candidate substance enhances or inhibits the Fortilin polypeptide activity, wherein a candidate substance that enhances or inhibits Fortilin polypeptide activity is a modulator of the Fortilin polypeptide.
- 40. (previously presented) The method of claim 39, wherein the assaying compares the activity of the Fortilin polypeptide in the presence and absence of the candidate substance.
- 41.-45. (cancelled)
- 46. (currently amended) The method of claim <u>39</u> 41, wherein the assaying is done by determining whether a p53-Fortilin interaction is disrupted.
- 47. (currently amended) The method of claim <u>39</u> 41, wherein the assaying is done by determining whether a MCL1-Fortilin interaction is disrupted.
- 48.-62. (cancelled)
- 63. (currently amended) The method of claim <u>39</u> 41, wherein the candidate substance is a polypeptide.

- 64. (previously presented) The method of claim 63, wherein the polypeptide is an antibody.
- 65. (previously presented) The method of claim 39, wherein the candidate substance is a nucleic acid.
- 66. (previously presented) The method of claim 39, wherein the candidate substance is a small molecule.
- 67. (cancelled)
- 68. (Currently amended) A method of identifying a modulator of a Fortilin polypeptide comprising:
 - (a) contacting a candidate modulator with <u>isolated</u>, [[a]] recombinant <u>cells</u> eell expressing a Fortilin polypeptide <u>comprising the with at least 90% of its</u> amino <u>acid acids sequence of identical or functionally equivalent to SEQ ID NO:2;</u>
 - (b) measuring the level of Fortilin activity or expression of the cell; and,
 - (c) comparing the level of Fortilin activity or expression of the <u>cells</u> eell to the level of Fortilin activity or expression of a <u>cells</u> eell not contacted with the candidate modulator,

wherein a difference between the level of Fortilin activity or expression indicates that the candidate modulator is a modulator of a Fortilin polypeptide.

- 69. (previously presented) The method of claim 68, wherein the level of Fortilin activity is measured.
- 70. (previously presented) The method of claim 69, wherein the Fortilin activity is protein binding.
- 71. (previously presented) The method of claim 70, wherein the Fortilin activity is p53 binding.

- 72. (previously presented) The method of claim 69, wherein the Fortilin activity is MCL1 binding.
- 73. (previously presented) The method of claim 69, wherein the Fortilin activity is cell cycle progression.
- 74. (previously presented) The method of claim 69, wherein the Fortilin activity is prevention of apoptosis.
- 75. (previously presented) The method of claim 68, wherein the level of Fortilin expression is measured.
- 76. (previously presented) The method of claim 75, wherein the level of Fortilin polypeptide is measured.
- 77. (previously presented) The method of claim 75, wherein the level of Fortilin mRNA is measured.
- 78. (previously presented) The method of claim 75, wherein Fortilin half-life is measured.
- 79. (previously presented) The method of claim 68, wherein the candidate substance is a polypeptide.
- 80. (previously presented) The method of claim 79, wherein the polypeptide is an antibody.
- 81. (previously presented) The method of claim 68, wherein the candidate substance is a nucleic acid.
- 82. (previously presented) The method of claim 81, wherein the nucleic acid comprises at least 20 contiguous nucleotides identical or complementary to SEQ ID NO:1.

- 83. (previously presented) The method of claim 68, wherein the candidate substance is a small molecule.
- 84.-87. (cancelled)
- 88. (previously presented) The method of claim 68, wherein the candidate modulator acts directly on a Fortilin gene or Fortilin RNA.
- 89.-92. (cancelled)